

MORCLEAN

PRO RANGE

MASTER PRICE LIST

Issue 1 - 2011



Cold Water Pressure Washers

Washman High

Built in detergent tank
Direct shut down protection
Lance with triple nozzle



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type
Washman High	8.658.0003	£505.00	230V	3000W	130 Bar	900 Ltrs/h	2800 rpm	Axial

Washman V-130

Built in detergent tank
High pressure hose
Lance with nozzle holder



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed

Washman

Three ceramic coated pistons, brass head, with built in by-pass valve
Built in detergent tank
Adjustable pressure
Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type
Washman 1211	8.613.0001	£820.00	240V	3300W	50 - 120 (max 150)	660 Ltrs/h	2800 rpm	Axial
Washman 2007	8.613.0015	£871.00	230V	3300W	50 - 200 Bar	660 Ltrs/h	2800 rpm	Axial
Washman 1713	8.613.0028	£922.00	400V	4700W	50 - 170 Bar	780 Ltrs/h	2800 rpm	Axial

Washman LP

4 poles electrical motor (1450 RPM) with thermal protection
Built in detergent tank
By-pass thermal protection with safety valve
Adjustable pressure



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type
Washman LP 120	8.659.0001	£971.00	230V	3000W	120 Bar	660 Ltrs/h	1450 rpm	Linear
Washman LP 160	8.659.0003	£1106.00	400V	4000W	160 Bar	720 Ltrs/h	1450 rpm	Linear

Washman Pro

Three ceramic coated pistons, brass pump head with built in by-pass valve
Built in detergent tank
Adjustable pressure
Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type



Cold Water Pressure Washers

Washman Evo

Three ceramic coated pistons, brass pump head with built-in by-pass valve
 Direct Shut down Protection on 120 and Late Shut down Protection on 150
 Built in detergent tank
 By-pass thermal protection with safety valve
 Adjustable pressure



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed

Washman Evo XP

4 poles electrical motor with thermal protection and water cooling
 Built in double detergent/wax tank
 By-pass thermal protection with safety valve
 Adjustable pressure
 Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type
Washman Evo XP 120	8.657.0001	£1143.00	230V	3000W	150 Bar	900 Ltrs/h	1450 rpm	Axial
Washman Evo XP 150	8.657.0002	POA	400V	5000W	150 Bar	900 Ltrs/h	1450 rpm	Axial
Washman Evo XP 200	8.657.0003	£1533.00	400V	5000W	200 Bar	900 Ltrs/h	1450 rpm	Axial

Washman Max

Low voltage main switch (24V)
 Safety valve with water discharge
 Gun with rotating coupling
 Lance with rotating coupling



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman Max 200	8.651.0002	£3837.00	400V	14700W	200 Bar	1800 Ltrs/h	1450 rpm
Washman Max 330	8.651.0009	£4157.00	400V	13000W	330 Bar	1020 Ltrs/h	

Washman V

Three ceramic coated pistons, brass pump head with built-in by-pass valve
 Automatic stop system
 Double built in detergent/wax tank



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman V 1515	8.616.0709	£1895.00	400V	5000W	150 Bar	900 Ltrs/h	1450 rpm
Washman V 2015	8.616.0710	£1947.00	400V	7000W	200 Bar	900 Ltrs/h	
Washman V 2021	8.616.0714	£2029.00	400V	9400W	20Bar	1260 Ltrs/h	

Cold Water Pressure Washers

Washman HD/AC

Air cooled motor
Gun with rotating coupling
Lance with nozzle holder
High pressure hose (10m)



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate
Washman 1211 HD/AC	8.654.0001	£1329.00	230V	3000W	30-125 bar (max 150)	660 Ltrs/h

Washman HD/WC

Water cooled motor
Gun with rotating coupling
Lance with nozzle holder
High pressure hose (10m)



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate
Washman 1211 HD/WC	8.654.0001	£1329.00	230V	3000W	30-125 bar (max 150)	660 Ltrs/h
Washman 1515 HD/WC	8.654.0002	£1380.00	400V	5000W	30-150 bar	900 Ltrs/h
Washman 2015 HD/WC	8.654.0003	£1432.00	400V	7000W	30-200 bar	900 Ltrs/h
Washman 2021 HD/WC	8.654.0015	£1483.00	400V	9400W	30-200 bar	1260 Ltrs/h

Washman WM

Modular structure with shock absorbers (stackable up to three machines)
Linear brass pump head, 4 pole single phase motor



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate
Washman WM 1211	8.626.0009	POA	240V	2800W	120 Bar	12 Ltrs/min
Washman WM 2018	8.626.0010	POA	415V	7000W	200 Bar	15 Ltrs/min
Washman WM 1211S	8.626.0011	POA	240V	2800W	120 Bar	12 Ltrs/min
Washman WM 2018S	8.626.0012	POA	415V	7000W	200Bar	15 Ltrs/min

Fixed Cold Water High Pressure Washing Unit

Powerfix

4 poles electric motor (1450 RPM) and thermal protection
Stainless steel suction and delivery valves
Adjustable double detergent/wax selector



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Stainless Steel Version		



Engine Driven Pressure Washers

Powermax

Tubular steel frame
Variable pressure
Detergent pick up tube



160/5P



200/11P



250/13P



180/10D

Model	Product No.	List price	Engine type	Pressure	Flow rate	Pump type
Powermax 160/5P	8.601.0107	£1173.00	Honda 5hp GC	160 Bar	570 Ltrs/h	Axial
Powermax 200/11P	8.601.0115	£2780.00	Honda 11hp GX 340	200 Bar	960 Ltrs/h	Linear
Powermax 250/13P	8.601.0063	£3177.00	Honda 11hp GX 340	250 Bar	1020 Ltrs/h	Linear
Powermax 180/110D	8.601.0111	£5800.00	Lombardini 15LD 400	180 Bar	960 Ltrs/h	Linear

Chemical Sprayers

NP Compact

Professional gun
Nozzle and Gun
Chemicals use hose and gasket



MOR10



MOR12

Model	Product No.	List price	Max. Detergent Capacity	Working Pressure - Flow	Hose Length
NP Compact MOR10	0.006.0012	£67.00	8.5 Ltrs	3 Bar - 1100cc/min.	1150mm
NP Compact MOR12	0.006.0011	£119.00	12 Ltrs	3 Bar - 1100cc/min.	1800mm

Spray

Pressure guage
Detergent level indicator
Available on request stainless steel or varnished versions



Model	Product No.	List price	Capacity	Working Pressure	Hose / Lance Length	Stainless Steel Version	
MOR10	0.006.0001	£145.00	10 Ltrs	7 Bar	10m /600mm	n/a	
MOR24	0.006.0002	£187.00	24 Ltrs	6 Bar	10m /600mm	0.006.0004	£481.00
MOR50	0.006.0003	£254.00	50 Ltrs	6 Bar	10m /900mm	0.006.0005	£602.00

Foamjet

Pressure guage
Detergent level indicator
Available on request stainless steel or varnished versions



Model	Product No.	List price	Capacity	Working Psi	Hose / Lance Length	Stainless Steel Version	
FOAMJET MOR24	0.006.0009	£530.00	24 Ltrs	6 Bar	10m /600mm	0.006.0007	£278.00
FOAMJET MOR50	0.006.0010	£727.00	50 Ltrs	6 Bar	10m /900mm	0.006.0008	£345.00

Hot Water Pressure Washers

Compact 1310/XP

Vertical burner with high thermal efficiency steel coil
Gun with rotating coupling
Lance with nozzle holder



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
Compact 1310/XP	8.052.0805	£1502.00	240V	2300W	130 bar (max 150 bar)	450 Ltrs/h	90°C	2800 rpm

Power Plus

4 poles electrical motor and thermal protection
Three ceramic pistons, brass linear pump head with built-in by-pass valve
Adjustable detergent delivery built-in tank for indirect suction



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed	Pump type
Power Plus 230	8.621.0901	£2336.00	230V	3000W	30-110 bar (max 150 bar)	660 Ltrs/h	140°C	1450 rpm	Linear
Power Plus 110	8.621.0607	£2443.00	110V	2900W	30 - 90 bar	660 Ltrs/h	140°C	1450 rpm	Linear

Power Plus XP

4 poles electrical motor and thermal protection
Three ceramic pistons, brass linear pump head with built-in by-pass valve
Adjustable detergent delivery built-in tank for indirect suction



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed	Pump type
Power Plus XP 1211	8.620.0601	£1959.00	230V	3200W	120 bar	660 Ltrs/h	140°C	2800 rpm	Axial
Power Plus XP 1511	8.621.0602	POA	400V	4000W	150 bar	660 Ltrs/h	140°C	2800 rpm	Axial
Power Plus XP 1813	8.620.0617	£2173.00	400V	6300W	180 bar	780 Ltr/h	140°C	2800 rpm	Axial

Performance Pro

Adjustable detergent delivery with built in tank for direct suction
Automatic stop system
Stainless steel vertical burner with high thermal efficiency



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
Performance Pro 1310	8.621.0947	£2957.00	110V	5500W	30-150 bar	660 Ltrs/h	140°C	1450 rpm
Performance Pro 1515	8.621.0934	£2513.00	400V	5500W	30-150 bar	660 Ltrs/h	140°C	1450 rpm
Performance Pro 2015	8.621.0935	£2627.00	400V	7300W	30-200 bar	660 Ltrs/h	140°C	

Performance Pro Ultra

Adjustable detergent delivery with built in tank for direct suction
4 poles electrical motor and thermal protection
Stainless steel vertical burner with high thermal efficiency



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
Performance Pro Ultra 1515	8.622.0901	£3080.00	400V	5500W	30-150 bar	900 Ltrs/h	140°C	1450 rpm
Performance Pro Ultra 2015	8.622.0902	£3178.00	400V	7300W	30-200 bar	900 Ltrs/h	140°C	1450 rpm



Hot Water Pressure Washers

Performance Pro/HT

4 poles electrical motor and thermal protection
 Three ceramic pistons, brass linear pump head with built-in by-pass valve
 Adjustable detergent delivery built-in tank for indirect suction



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
Performance Pro HT 1521	8.623.0903	£3348.00	400V	7300W	150 bar	630 - 1260 Ltrs/h	140°C	1450 rpm
Performance Pro HT 2021	8.623.0901	£3554.00	400V	9700W	200 bar	630 - 1260 Ltrs/h	140°C	1450 rpm

Contractor Plus 100/5HW

Direct connection pump/engine
 Auxiliary belt driven sturdy alternator
 Gun with rotating coupling



Model	Product No.	List price	Engine type	Pressure	Flow rate	Max. temp.
Contractor Plus 100/5HW	8.601.0113	£3951.00	Honda GC 160	100 bar	600 Ltrs/h	90°C

Contractor Plus 180/10HW

Electrical start with engine functions control
 Three ceramic pistons, brass linear pump head with separated by-pass valve
 Belt driven pump (1650 RPM)
 Integrated detergent suction with external suction probe



Model	Product No.	List price	Engine type	Pressure	Flow rate	Max. temp.
Contractor Plus 180/10HW	8.601.0099	£10790.00	Lombardini	180 bar	1020 Ltrs/h	140°C

Contractor Plus 200/17HW

Heavy duty tubular steel frame
 Built in 110V generator (1.5 Kw)
 Twin cylinder water cooled diesel engine
 Electric start



Model	Product No.	List price	Engine type	Pressure	Flow rate	Max. temp.	Pump type
Contractor Plus 200/17HW	8.601.0052	£16,593.00	Lombardini	200 bar	1320 Ltrs/h	140°C	Linear

Portable Boiler

Therma 74/300

Vertical burner with high thermal efficiency steel coil
 You can get hot water still if not in pressure due to flow switch presence



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp
Therma 74/300	8.699.0015	£1537.00	230V	300W	200 bar	1260 Ltrs/h	140°C

Steam Generators

Vision Steam/ET6

Built-in AISI 304 stainless steel
 Wheels suitable for use in food processing area
 ON/OFF main and boiler switch with indicator lamp
 Ready steam indicator lamp
 The boiler can be refilled from the tank provided (continuous duty)
 Device for using chemicals and detergents mixed with steam
 Device for cleaning hot water mixed with steam



Model	Product No.	List price	Voltage	Wattage	Noise Level	Steam Pressure	Steam production	Max. temp.	Water/detergent tank capacity
Vision Steam/ET66	8.451.0001	£1630.00	230V	1100W	73 dB(A)	9 bar	3.25 Kg/h	158°C	5 Ltrs/5 Ltrs

Vision Steam Pro

Saturated steam at 9 bar at a temperature of 175°C
 Steam gun with low tension control
 Heating and activation time required is 7 minutes.
 Device for using chemicals and detergents mixed with steam
 Optional: 10 m or 15 m flexible hose with gun and detergent switch



Vision Steam Pro 3300/9



Vision Steam Pro 3300/V
 Vision Steam Pro 4400/V

Model	Product No.	List price	Wattage	Steam Pressure	Steam Production	Max temp	Water/detergent tank capacity
Vision Steam Pro 3300/9 (without vac)	8.450.0010	£2700.00	3300W	9 bar	4.62 Kg/h	175°C	5 Ltrs / 5 Ltrs

Vision Steam Pro 400

Saturated steam at 10 bar at a temperature of 180°C
 Heating and activation time required is 7 minutes.
 Boiler is refilled continuously
 Device for using chemicals and detergents mixed with steam
 Optional:
 6 m or 10 m steam gun with hose
 Floor scraping lance
 6 or 7 hole triangular brush



Model	Product No.	List price	Voltage	Wattage	Steam Pressure	Steam production	Max. temp.	Water/detergent tank capacity
Vision Steam 350B	TBA	TBA	2x12V	3500W	8 bar	37.5 Kg/h	171°C	25 Ltrs
Vision Steam 350X	8.628.0002	£4,625.00	230V	3500W	8 bar	37.5 Kg/h	171°C	25 Ltrs
Vision Steam Pro 400 / 18	8.450.0002	£7000.00	400V	18000W	10 bar	22.5 Kg/h	180°C	25 Ltrs/5 Ltrs
Vision Steam Pro 400 / 30	8.450.0001	£7750.00	400V	30000W	10 bar	37.5 Kg/h	180°C	25 Ltrs/5 Ltrs



Vacuum Cleaners

Pro Lite

Silenced single stage motor
Paper and cartridge filter
Shock and overturn proof design



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust
Pro Lite	8.223.0001	£131.00	230V	1x / dry cup silenced	1000 (1200) W	52 Ltrs/s	13 Ltrs / 8 Ltrs

Pro Ultra

Silenced single stage motor (high efficiency)
Exhaust air filter
Pedal power switch.



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust
Pro Ultra	8.214.0511	£316.92	230V	1x / dry cup silenced	1000 (1250) W	56 Ltrs/s	15 Ltrs / 10 Ltrs

Pro 20/1-55

Silenced two stage motor
Suction system with by-pass cooling
Shock proof trolley



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 20/1-55	8.225.0002	£165.00	230V	1x / silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	20 Ltrs / 14 Ltrs / 16 Ltrs

Pro 35/1-P

Suction system with by-pass cooling
Liquid Float valve
Shock proof trolley



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 35/1-P	8.222.0518	£238.00	230V	1x / silenced 2 stage motor	1200 (1400)W	54 Ltrs/s	35 Ltrs / 18 Ltrs / 20 Ltrs

Pro 50/1-55

Suction system with by-pass cooling
Liquid Float valve
Anti electrostatic current device



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 50/1-55	8.215.0501	£314.00	230V	1x / silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	50 Ltrs / 21 Ltrs / 35 Ltrs

Pro 50/1-CE-55

Suction system with by-pass cooling
Liquid Float valve
11 Ltr detergent tank



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 50/1-CE-55	8.220.0501	£526.00	230V	1x / silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	50 Ltrs / 21 Ltrs / 35 Ltrs

Vacuum Cleaners

Pro 77/2-P

2 Silenced two stage motor
Suction system with by – pass cooling
Anti electrostatic current device



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 77/2-P	8.216.0501	£426.00	230V	2x / silenced 2 stage motor	2000 (2400)W	108 Ltrs/s	77 Ltrs / 34 Ltrs / 47 Ltrs

Pro 77/3-P

3 Silenced two stage motor
Removable tank
Shock proof trolley



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 77/3-P	8.212.0508	£504.00	230V	3x / silenced 2 stage motor	3000 (3600) W	162 Ltrs/s	77 Ltrs / 34 Ltrs / 47 Ltrs

Pro 78/2-55

Removable tank
Anti electrostatic current device
Shock proof trolley and Tilting tank



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 78/2-55	8.213.0501	£479.00	230V	2x / silenced 2 stage motor	2000 (2400)W	108 Ltrs/s	78 Ltrs / 35 Ltrs / 48 Ltrs

Pro 78/3-55

Removable tank
Anti electrostatic current device
Shock proof trolley and Tilting tank



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 78/3-55	8.212.0501	£556.00	230V	3x / silenced 2 stage motor	3000 (3600)W	162 Ltrs/s	78 Ltrs / 35 Ltrs / 48 Ltrs

Pro 78/2-CE-55

Removable tank
Suction system with by-pass cooling
Shock proof trolley and Tilting tank




Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 78/2-CE-55	8.221.0501	£830.00	230V	2x / silenced 2 stage motor	2200 (2400)W	108 Ltrs/s	78 Ltrs / 35 Ltrs / 48 Ltrs



Single Disc Rotary - Scrubbers

Single Disc Rotary with Gearbox - Scrubbers

Impressive stability & working balance
Noiseless
Strong handle joint
Ergonomic handle with integrated switches
Protection traceless bumper



Model	Product No.	List price	Brush speed	Brush Diameter	Voltage	Power	Noise level	Weight
35G 18-55	0.055.0001	£847.00	188 rpm	330mm / 13"	230V	550W	54 dB(A)	22 Kg
45G 15-100	0.055.0002	£1046.00	154 rpm	430mm / 17"	230V	1000W	54 dB(A)	37 Kg
45G 15-130	0.055.0003	£1091.00	154 rpm	430mm / 17"	230V	1300W	54 dB(A)	42.5 Kg
45G 15-160	0.055.0004	£1139.00	154 rpm	430mm / 17"	230V	1600W	54 dB(A)	43.2 Kg
45G 15-220	0.055.0005	£1406.00	154 rpm	430mm / 17"	230V	2200W	54 dB(A)	47.5 Kg
53G 15-160	0.055.0006	£1139.00	154 rpm	505mm / 20"	230V	1600W	54 dB(A)	49.5 Kg
45G 40-160	0.055.0007	£1200.00	400 rpm	430mm / 17"	230V	1600W	56 dB(A)	47.5 Kg

Single Disc Rotary with Belt - Scrubbers

Impressive stability & working balance
Noiseless
Strong handle joint
Ergonomic handle with integrated switches
Protection traceless bumper



Model	Product No.	List price	Brush speed	Brush Diameter	Voltage	Power	Noise level	Weight
45B 100-160	0.055.0008	£1516.00	1000 rpm	406mm / 16"	230V	1600W	56 dB(A)	38.5 Kg
48B 150-130	0.055.0009	£1944.00	1500 rpm	460mm / 18"	230V	1300W + 700W	56 dB(A)	43.5 Kg



M Class certificate for vacuum cleaner

It is the ability of the vacuum cleaner to keep (through the filtering system and the manufacturing specifications of the vacuum cleaner) the 99.9% of all vacuumed dust with OEL (Occupational Exposure Limit) higher than a 0.1 mg/m³.

Some example of the dusts that can be kept with these vacuum cleaners are working residuals of: wood, copper, insecticide and pesticide, manganese (tools of the earthmoving equipment), platinum, nickel etc.



H Class certificate for vacuum cleaner

It is the ability of the vacuum cleaner to keep (through the filtering system and the manufacturing specifications of the vacuum cleaner) the 99.995% of all vacuumed dust with OEL (Occupational Exposure Limit) higher than a 0.005 mg/m³. Some example of the dusts that can be kept with these vacuum cleaners are working residuals of: asbestos (only in Germany a specific certificate is necessary), lead, bacteria/moulds/germs (they can be found in the hospital renovation), cadmium (accumulators and anti-rust), chromate potassium (matches, pencils, wood impregnate, printer ink, etc.)

*OEL (Occupational Exposure Limit) is a value (expressed in mg/m³) that specifies the max concentration of dust in the working area that doesn't cause injuries to people. The lower the OEL value, the more dangerous the dust is.

Sweepers

Pedestrian Sweepers

Choice of three cleaning widths
 Choice of power
 Standard single side brush
 Ideal for small and medium surfaces



Walkman Pedestrian



Walkman 700P/26
Walkman 900P/34



Walkman 700B/26
Walkman 900B/34

Model	Product No.	List price	Power type	Cleaning width	Hourly efficiency	Filter surface area	Collection tank volume
Walkman Pedestrian	0.042.0001	£707.00	Manual	655 mm	2500 m ² /h	N/A	30 Ltr
Walkman 700B/26	0.021.0001	£2732.00	Battery 12V DC	655 mm	2600 m ² /h	2 m ²	40 Ltr
Walkman 700P/26	0.021.0002	£3440.00	Engine Honda 4 Hp	655 mm	2600 m ² /h	2 m ²	40 Ltr
Walkman 900B/34	0.021.0003	£3810.00	Battery 12V DC	850 mm	3400 m ² /h	3 m ²	60 Ltr
Walkman 900P/34	0.021.0004	£3950.00	Engine Honda 4 Hp	850 mm	3400 m ² /h	3 m ²	60 Ltr

Ride on Sweepers

Choice of three cleaning widths
 Choice of power
 Standard single side brush
 Shock proof steel frame
 Wide collection compartment



Drive 1000P/38
Drive 1000B/38



Drive 700T/P
Drive 700T/B

Model	Product No.	List price	Power type	Cleaning width	Hourly efficiency	Filter surface area	Collection tank volume
*Drive 1000B/38	0.021.0005	£11,956.00	Battery 24V DC	950 mm	6800 m ² /h	4 m ²	85 Ltrs
*Drive 1000P/38	0.021.0006	£12,584.00	Engine Honda 5 Hp	950 mm	6800 m ² /h	4 m ²	85 Ltrs
*Drive 700T/P	0.021.0015	£18,020.00	Engine Honda 5.5 Hp	950 mm	6875 m ² /h	5 m ²	95 Ltrs
*Drive 700T/B	0.021.0014	£17,324.00	Battery 24V DC	950 mm	6875 m ² /h	5 m ²	95 Ltrs

* Base price for machine only. Built price subject to combinations of drive boards, brushes, batteries and chargers etc



Scrubber Driers

Vision Midi

Ideal for small shops, offices, hospitals and garages
 Immediate drying in both forward and reverse
 Easy empty recovery tank



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush power motor	Detergent/recovery tank capacity
* Vision Midi	8.511.0001	£1510.00	240V	350 mm	420 mm	600W	15 Ltrs / 16 Ltrs

Vision Q360

Compact reclining handle
 Battery and electric versions available
 Easy access and simple service of the components
 Lifting squeegee system



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Max working capacity	Traction	Detergent / recovery tank capacity
* Vision Q360 36E	8.518.0004	£1838.00	230V	360 mm	460 mm	1260 m ² /h	Mechanical	11 Ltrs / 13Ltrs
* Vision Q360 36B	8.518.0003	£2448.00	12V	360 mm	460 mm	1260 m ² /h	Mechanical	11 Ltrs / 13 Ltrs

Vision Pro

Choice of mains or battery power
 Simple operator controls
 Easy maintenance
 Free floating brush head
 Under edge cleaning brush head



Vision Pro 450E, 500E Vision Pro 450B, 500B, 450BT, 500BT

Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Max working capacity	Traction	Detergent / recovery tank capacity
*Vision Pro 450E	8.515.3300	£2440.00	240V	450 mm	800 mm	1800 m ² /h	Mechanical	44 Ltr/60 Ltr
*Vision Pro 500E	8.515.3302	£2530.00	240V	500mm		2000 m ² /h	Mechanical	44 Ltr/60 Ltr
*Vision Pro 450B	8.515.0305	£3727.00	24V	450mm		1800 m ² /h	Mechanical	44 Ltr/60 Ltr
*Vision Pro 500B	8.515.0310	£3819.00	24V	500mm		2000 m ² /h	Mechanical	44 Ltr/60 Ltr
*Vision Pro 450BT	8.515.0309	£4264.00	24V	450 mm		1800 m ² /h	Automatic	44 Ltr/60 Ltr
*Vision Pro 500BT	8.515.0311	£4357.00	24V	500 mm		2000 m ² /h	Automatic	44 Ltr/60 Ltr

Vision Plus

Easy to use control panel
 Large handle with traction lever for forward and backwards directions
 Detergent solution tank provided with large opening protected by quick locking cap
 Self-levelling brush plate

Single



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Max working capacity	Traction	Detergent / recovery tank capacity
*Vision Plus 450	8.516.0403	£3904.00	24V DC	450 mm	800 mm	2025 m ² /h	Automatic	67 Ltrs / 77.95 Ltrs
*Vision Plus 500	8.516.0406	£4126.00	24V DC	500 mm	800 mm	2250 m ² /h	Automatic	67 Ltrs / 77.95 Ltrs
*Vision Plus 550	8.516.0407	£4276.00	24V DC	550 mm		2475 m ² /h	Automatic	67 Ltrs / 77.95 Ltrs
*Vision Plus 660	8.516.0315	£4426.00	24V DC	660 mm		2970 m ² /h	Automatic	67 Ltrs / 77.95 Ltrs

Scrubber Driers

Vision Plus

Duo



Easy to use control panel
 Large handle with traction lever for forward and backwards directions
 Detergent solution tank provided with large opening protected by quick locking cap
 Self-levelling brush plate

Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Max working capacity	Traction	Detergent / recovery tank capacity
*Vision Plus 660	8.517.0102	£6740.00	24 V DC	660 mm	900 mm	3762 m ² /h	Automatic	88 Ltrs / 91.95 Ltrs
*Vision Plus 750	8.517.0105	£6880.00	24V DC	750 mm	900 mm	4275 m ² /h	Automatic	88 Ltrs / 91.95 Ltrs

Vision Trak 750X/29

Ride-on for maximum operator comfort
 Simple operator controls
 More than 50Kg of constant pressure on the brushes
 Self levelling brush head
 Stability control in turning



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush diameter	Max working capacity	Traction	Detergent/ recovery tank capacity
*Vision Trak 750X/29	8.574.0101	£10390.00	24V DC	750 mm	900 mm	2 x 375 mm	3750 m ² /h	Front wheel drive (1)	110/136 Ltrs

Vision Trak SR 24V

Ride-on for maximum operator comfort
 Simple operator controls
 More than 60/80Kg of constant pressure on the brushes
 Detergent dispenser
 Stability control in turning



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush diameter	Max working capacity	Traction	Detergent/ recovery tank capacity
*Vision Trak SR 660S	8.575.0002	£13,939.00	24V DC	660 mm	900 mm	2 x 330 mm	4620 m ² /h	Front wheel drive (1)	140 Ltrs /150 Ltrs
*Vision Trak SR 820S	8.575.0001	£14,245.00	24V DC	820 mm	1110 mm	2 x 406 mm	5740 m ² /h	Front wheel drive (1)	140 Ltrs /150 Ltr

* Base price for machine only. Built price subject to combinations of drive boards, brushes, batteries and chargers etc



Scrubber Driers

Vision Trak SR 750 CS

Ride-on for maximum operator comfort
 Simple operator controls
 More than 50Kg of constant pressure on the brushes
 Self levelling brush head
 Stability control in turning



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush diameter	Traction	Detergent/ recovery tank capacity
*Vision Trak SR 750 CS	8.575.0005	£17,956.00	24V DC	750 mm	1000 mm	2 x 375mm	Front wheel drive (1)	140/180 Ltrs

Vision Trak SL 36V

More than 90/120 Kg of constant pressure on the brushes
 Compact size
 Stability even when fully loaded
 Independent differential wheel-drives for tight steering radius
 Easy access to electrical components



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush diameter	Traction	Detergent / recovery tank capacity
*Vision Trak SL 36V 870C	8.578.0003	£16,112.00	36V DC	870 mm	1110 mm	2 x 431mm	Rear wheel drive (2)	200 Ltrs / 210 Ltrs
*Vision Trak SL 36V 1020C	8.578.0004	£16,430.00	36V DC	1020 mm	1250 mm	2 x 483mm	Rear wheel drive (2)	200 Ltrs / 210 Ltrs

Vision Trak CL 3WD

More than 170 Kg of constant pressure on the brushes
 Stability even when fully loaded
 Three individual wheel-drives for tight steering radius
 Easy access to electrical components
 Automatic device for squeegee lifting while reversing
 Automatic device that stops brushes & detergent supply when the machine is standing still



Model	Product No.	List price	Voltage	Scrubbing width	Squeegee width	Brush diameter	Traction	Detergent / recovery tank capacity
*Vision Trak CL 3WD 1020	8.572.0001	£26,784.00	36V DC	1020 mm	1250 mm	2 x 483mm	All wheel drive (3)	280 Ltrs / 340 Ltrs
*Vision Trak CL 3WD 1220	8.572.0002	£28,566.00	36V DC	1220 mm	1450 mm	3 x 406mm	All wheel drive (3)	280 Ltrs / 340 Ltrs

* Base price for machine only. Built price subject to combinations of drive boards, brushes, batteries and chargers etc



Cold Water Pressure Washers

Washman/60Hz

Three ceramic coated pistons, brass head, with built in by-pass valve
 Built in detergent tank
 Adjustable pressure
 Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate	Motor speed
Washman 1609/60	8.613.0026	POA	240V	3300W	50 - 160 bar (max 200)	325 - 510 Ltrs/h	1700 rpm
Washman 1713/60	8.613.0014	POA	240V	4700W	50 - 170	350 - 800 Ltrs/h	1700 rpm

Washman LP /60Hz

4 poles electrical motor (1450 RPM) with thermal protection
 Built in detergent tank
 By-pass thermal protection with safety valve
 Adjustable pressure



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed	Pump type
Washman LP 60/120	8.659.0002	POA	230V	3000W	120 Bar	660 Ltrs/h	1450 rpm	Linear
Washman LP 60/160	8.659.0010	POA	400V	4000W	160 Bar	720 Ltrs/h	1450 rpm	Linear

Washman Pro/60Hz

Three ceramic coated pistons, brass pump head with built in by-pass valve
 Built in detergent tank
 Adjustable pressure
 Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman Pro 220/60	8.665.0009	POA	220V	3300W	100 bar	780 Ltrs/h	1450 rpm
Washman Pro 380/60	8.665.0010	POA	380V	7000W	200 bar	900 Ltrs/h	1450 rpm
Washman Pro 220/3PH/60	8.665.0014	POA	220V	7000W	200 bar	900 Ltrs/h	1450 rpm

Washman Evo XP/60Hz

4 poles electrical motor with thermal protection and water cooling
 Built in double detergent/wax tank
 By-pass thermal protection with safety valve
 Adjustable pressure
 Automatic stop system



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman Evo XP 1013/60	8.657.0008	POA	220V	3300W	30 - 100 Bar	780 Ltrs/h	1700 rpm
Washman Evo XP 2015/60	8.657.0010	POA	380V	7000W	30 - 200 Bar	900 Ltrs/h	1700 rpm





Cold Water Pressure Washers

Washman HD/60Hz

Gun with rotating coupling
Lance with nozzle holder
High pressure hose (10m)



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate
Washman HD 1211/60	8.654.0012	POA	220V	3300W	30-100 bar	390 - 780 Ltrs/h
Washman HD 2018/60	8.654.0009	POA	380V	8400W	30-200 bar	540 - 1080 Ltrs/h
Washman HD 2018/3HP/60	8.654.0014	POA	220V	8400W	30-200 bar	540 - 1080 Ltrs/h

Washman Max/60Hz

Safety valve with water discharge
Gun with rotating coupling
Lance with rotating coupling
Power Lamp



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman Max 270/60	8.651.0007	POA	380V	14500W	270 Bar	1440 Ltrs/h	1700 rpm

Washman V/60Hz

Three ceramic coated pistons, brass pump head with built-in by-pass valve
Automatic stop system
Double built in detergent/wax tank



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Motor speed
Washman V 2013/60	8.616.0702	POA	380V	6800W	30 - 200 Bar	390 - 780 Ltrs/h	1700 rpm
Washman V 2013/60 3HP	8.616.0703	POA	220V	6800W	30 - 200 Bar	390 - 780 Ltrs/h	
Washman V 2018/60	8.616.0713	POA	220V	8400W	30 - 200 Bar	354 - 1080 Ltrs/h	

Washman WM/60Hz

Modular structure with shock absorbers (stackable up to three machines)
Linear brass pump head, 4 pole single phase motor



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate
Washman WM 1211/60	8.626.0009	POA	240V	2800W	120 Bar	12 Ltrs/min
Washman WM 2018/60	8.626.0010	POA	415V	7000W	200 Bar	15 Ltrs/min
Washman WM 1211S/60	8.626.0011	POA	240V	2800W	120 Bar	12 Ltrs/min
Washman WM 2018S/60	8.626.0012	POA	415V	7000W	200Bar	15 Ltrs/min



Hot Water Pressure Washers

Compact 1310 XP/60Hz

Vertical burner with high thermal efficiency steel coil
Gun with rotating coupling
Lance with nozzle holder



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
Compact 1310 XP/60	8.625.0003	POA	220V	3000W	130 bar (max 150 bar)	600 Ltrs/h	90°C	3400 rpm

Power Plus XP/60Hz

4 poles electrical motor and thermal protection
Three ceramic pistons, brass linear pump head with built-in by-pass valve
Adjustable detergent delivery built-in tank for indirect suction



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate	Max temp	Motor speed
Power Plus XP 1211/60	8.620.0019	POA	220V	3200W	30 - 100 bar	330 - 660 Ltrs/h	140°C	3400 rpm
Power Plus XP 1511/60	8.621.0602	POA	380V	4000W	30 - 150 bar	330 - 660 Ltrs/h	140°C	3400 rpm

Performance Pro Ultra/60Hz

Adjustable detergent delivery with built in tank for direct suction
4 poles electrical motor and thermal protection
Stainless steel vertical burner with high thermal efficiency



Model	Product No.	List price	Voltage	Wattage	Pressure	Delivery rate	Max temp	Motor speed
Performance Pro Ultra 1211/60	8.622.0905	POA	380V	3300W	30-100 bar	345 - 660 Ltrs/h	140°C	1700 rpm
Performance Pro Ultra 2013/60	8.622.0906	POA	220V	7000W	30-200 bar	540 - 780 Ltrs/h	140°C	1700 rpm

XDL Specialist SP/60Hz

Late Shut down Protection 24V
Adjustable detergent delivery built-in tank
Auxiliary motor for burner air cooling and mechanical two way fuel pump
High (>90%) thermal efficiency burner, for better environmental protection



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
XDL Specialist SP/60	8.621.0911	POA	230V	3000W	30 - 100 bar	345 - 660 Ltrs/h	140°C	1700 rpm





Hot Water Pressure Washers

XDL Specialist 3HP/60Hz

4 poles electrical motor with water cooling
 Adjustable detergent delivery built-in tank
 Auxiliary motor for burner air cooling and mechanical two way fuel pump
 High (>90%) thermal efficiency burner, for better environmental protection



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
XDL Specialist 3HP/60	8.621.0910	POA	380V	8700W	30 - 200 bar	540 - 1080 Ltrs/h	140°C	1700 rpm

XDT Specialist/60Hz

Late Shut down Protection 24V
 Adjustable detergent delivery built-in tank
 Auxiliary motor for burner air cooling and mechanical two way fuel pump
 High (>90%) thermal efficiency burner, for better environmental protection



Model	Product No.	List price	Voltage	Wattage	Pressure	Flow rate	Max temp	Motor speed
XDT Specialist/60	8.623.0906	POA	380V	8700W	30 - 200 bar	540 - 1080 Ltrs/h	140°C	1700 rpm

Pumps and Motorpumps



BL4 21-200

An in-depth and comparative study on each structural element: Low wear and tear ceramic pistons. Low friction connecting rod, built in aluminium alloy; double body for easy disassembly. Minimum charge on the cone-shaped bearings. Very low operating temperature, favoured by the use of water cooled motor. Top range up to 21 Ltrs/min.




NV2M 15-130

Nickle-plated head electric pump with adjustable high flow rate, 2 poles single-phase motor. The most innovative entry level model in the world: it combines the two washing phases (dirt degreasing = high-pressure / fast rinsing = high flow rate) till 15 Ltrs/min like three-phase machines.



BX4 15-200

Brass head axial electric pump, 4 poles single or three-phase water cooled motor, easy structure and performance: top range up to 15 Ltrs/min. Connection with water cooled motor lowers operating temperature. It can bear nonstop heavy and extreme duty use.



NX2M 9-130 and BX2M 9-130

Nickle-plated or brass head electric pump, 2 poles single-phase motor 2.6 kW)



BL4 12-160

Linear brass pump head, 4 poles single or three-phase motor up to 4 kW. Connecting rod pump, good relation performances / competitiveness in the 12 litres 4 poles motor range.



BX2 13-200

Brass head electric pump, 2 poles single or three-phase motor up to 4.7 kW. it is the most resistant 2 poles pulp on the market (reinforced with rubberised fabric seals, valves with stainless steel plates and ceramic coated pistons).



BX4 11-150

Brass head electric pump, 4 poles single or three-phase motor up to 3.7 kW. 1450 RPM rotation (50Hz) grants low friction and high silence level. It can bear nonstop heavy duty use in the single-phase level.



Vacuum Cleaners

Pro Ultra 120/60Hz

Silenced single stage motor (high efficiency)
Exhaust air filter
Pedal power switch.



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust
Pro Ultra/60	8.214.0514	POA	120V	1x / dry cup silenced	1000 (1250) W	56 Ltrs/s	15 Ltrs / 10 Ltrs

Pro 20/1-55 120/60Hz

Silenced two stage motor
Suction system with by-pass cooling
Shock proof trolley
Liquid float valve
Accessory holder



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 20/1-55 120/60	8.225.0009	POA	120V	1x / silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	20 Ltrs / 14 Ltrs / 16 Ltrs

Pro 35/1-55 120/60Hz

Silenced two stage motor
Suction system with by-pass cooling
Shock proof trolley



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 50/1-55 120/60	8.222.0527	POA	120V	1x /silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	50 Ltrs / 21 Ltrs / 35 Ltrs

Pro 50/1-55 120/60Hz

Suction system with by-pass cooling
Liquid Float valve
Anti electrostatic current device



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 50/1-55 120/60	8.222.0527	POA	120V	1x /silenced 2 stage motor	1200 (1400)W	53 Ltrs/s	50 Ltrs / 21 Ltrs / 35 Ltrs





Vacuum Cleaners

Pro 78/2-55 120/60Hz

Removable tank
 Anti electrostatic current device
 Shock proof trolley
 Tilting tank



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 78/2-55 120/60	8.213.0526	POA	120V	2x / silenced 2 stage motor	2000 (2400)W	108 Ltrs/s	78 Ltrs / 35 Ltrs / 48 Ltrs

Pro 78/T 120/60Hz

Removable tank
 Anti electrostatic current device
 Shock proof trolley
 Tilting tank



Model	Product No.	List price	Voltage	No. Motor type	Power (max)	Air suction	Total volume / Dust / Liquid
Pro 78/T 120/60	8.213.0516	POA	120V	3x / silenced 2 stage motor	2000 (2400)W	108 Ltrs/s	78 Ltrs / 35 Ltrs / 48 Ltrs



M Class certificate for vacuum cleaner

It is the ability of the vacuum cleaner to keep (through the filtering system and the manufacturing specifications of the vacuum cleaner) the 99.9% of all vacuumed dust with OEL (Occupational Exposure Limit) higher than a 0.1 mg/m³.

Some example of the dusts that can be kept with these vacuum cleaners are working residuals of: wood, copper, insecticide and pesticide, manganese (tools of the earthmoving equipment), platinum, nickel etc.



H Class certificate for vacuum cleaner

It is the ability of the vacuum cleaner to keep (through the filtering system and the manufacturing specifications of the vacuum cleaner) the 99.995% of all vacuumed dust with OEL (Occupational Exposure Limit) higher than a 0.005 mg/m³. Some example of the dusts that can be kept with these vacuum cleaners are working residuals of: asbestos (only in Germany a specific certificate is necessary), lead, bacteria/moulds/germs (they can be found in the hospital renovation), cadmium (accumulators and anti-rust), chromate potassium (matches, pencils, wood impregnate, printer ink, etc.)

*OEL (Occupational Exposure Limit) is a value (expressed in mg/m³) that specifies the max concentration of dust in the working area that doesn't cause injuries to people. The lower the OEL value, the more dangerous the dust is.



Cold Water Pressure Washers



Washman High



Washman V-130



Washman



Washman LP



Washman Pro



Washman Evo



Washman Evo Pro



Washman Max



Washman V



Washman WM



Washman HD / AC



Washman HD / WC



Powerfix

Engine Driven Pressure Washers



Powermax 160/5P



Powermax 200/11P



Powermax 250/13P



Powermax 180/10D

Chemical Sprayers



Spray



Foamjet



NP Compact



Hot Water Pressure Washers



Compact 1310 / XP



Power Plus



Power Plus XP



Performance Pro



Performance Pro Ultra



Performance Pro / HT



Contractor Plus 100 / 5HW



Contractor Plus 180 / 10HW



Contractor Plus 200 / 17HW



Portable Boiler Therna 74 / 300

Steam Generators



Vision Steam / ET6



Vision Steam Pro



Vision Steam Pro 400

Vacuum Cleaners



Pro Lite



Pro Ultra



Pro 20 / 1-55



Pro 35 / 1-P



Pro 50 / 1-55



Pro 50 / 1-CE-55



Pro 77 / 2-P



Pro 77 / 3-P



Pro 78 / 2-55



Pro 78 / 3-55



Pro 78 / 2-CE-55

Single Disc Rotary - Scrubbers



35G



45G/53G



43B



48B



Pedestrian and Ride on Sweepers



Walkman Pedestrian



Walkman 700P / 26
Walkman 900P / 34



Walkman 700B / 26
Walkman 900B / 34



Drive 1000P / 38
Drive 1000B / 38



Drive 700T / P
Drive 700T / B

Scrubber Driers



Vision Midi



Vision Q360



Vision Pro 450E, 500E



Vision Pro 450B, 500B,
450BT, 500BT



Vision Plus



Vision Plus



Vision Trak 750X / 29



Vision Trak SR 24V



Vision Trak SR 750 CS



Vision Trak SL 36V



Vision Trak CL 3WD

60Hz

Cold Water Pressure Washers



Washman / 60 Hz



Washman LP / 60Hz



Washman Pro / 60Hz



Washman Evo XP / 60Hz



Washman HD / 60Hz



Washman Max / 60Hz



Washman V / 60Hz



Washman WM / 60Hz

60Hz

Hot Water Pressure Washers



Compact 1310 XP / 60Hz



Power Plus XP / 60Hz



Performance Pro Ultra / 60Hz



XDL Specialist SP / 60Hz



XDL Specialist 3HP / 60Hz



XDT Specialist / 60Hz

60Hz

Vacuum Cleaners



Pro Ultra 120 / 60Hz



Pro 20 / 1-55 120 / 60Hz



Pro 35 / 1-P 120 / 60Hz



Pro 50 / 1-55 120 / 60Hz



Pro 78 / 2-55 120 / 60Hz



Pro 78 / T 120 / 60Hz

MORCLEAN



ABOUT US

Morclean provide a full range of industrial cleaning equipment plus a bespoke design and build service for specialist applications. Our team of specialists have individual knowledge of high pressure water cleaners, vehicle wash systems, water recycling, specialist vacuums and floor care equipment.

The sales engineers, service technicians, and demonstration vehicles, operate from our premises where we stock a comprehensive range equipment and spares. Facilities include in house design and CAD, sales support and service planning, finance, and export shipping.

Our range of industrial cleaning equipment and water recycling systems are used throughout the transport and distribution industry. Other markets include Food & Hygiene, Marine, Agricultural, Off-shore, Shipping, Automotive & Transport, Engineering & Manufacturing, Mining & Quarrying Health & Leisure, Food & Hygiene Public & Municipal and many other applications.



Morclean Ltd, Stephenson Road, Speedwell Industrial Estate, Staveley, Chesterfield S43 3JN, UK.

Tel: +44 (0)1246 471147 **Fax:** +44 (0)1246 471277 sales@morclean.co.uk www.morclean.co.uk

Registered in England No.465133

Morclean reserve the rights to update and amend the specification of any of our equipment & accessories in the interest of the customer. All prices subject to VAT @ SR. (E & O.E)

